

# **Reusable Models of Pedagogical Concepts - a Framework for Pedagogical and Content Design**

Jan M. Pawlowski

Information Systems for Production and Operations Management  
University of Essen, Germany  
jan.pawlowski@wi-inf.uni-essen.de

**Abstract:** Standardization initiatives in the field of learning technologies have produced standards for the interoperability of learning environments and learning management systems. Learning resources based on these standards can be reused, recombined, and adapted to the user. However, these standards follow a content-oriented approach. The process of applying pedagogical concepts is not covered by these standards. In the last years, several approaches for pedagogical and didactical concepts have emerged, but their use within a framework of standards is not yet consistently solved. Therefore, a model is presented which combines pedagogical and content-oriented design. The model, based on the Essen Learning Model, is a basis for the reuse and recombination of pedagogical expertise.

## **Introduction**

Development processes of learning environments have changed significantly in the last years. The enormous cost for multimedia production led to the consequence that a high amount of end-users are necessary to be efficient. Learning resources have to be adapted and updated in shorter periods of time. Furthermore, learning environments must be individually tailored to the users needs and preferences in order to optimize the learner's performance.

Standardization is a means to ensure interoperability between systems. Both, learning management systems and learning environments have been subject of standardization initiatives. These initiatives, such as IEEE Learning Technology Standards Committee (LTSC), Instructional Management Systems (IMS)-Project, or the Advanced Distributed Learning Network (ADLNET) have developed a broad range of standards, from high-level specifications for architectures to bindings for certain components. However, most of these approaches focus on the reuse of content. These specifications do not provide adequate concepts for modeling pedagogical concepts. As a consequence, several approaches of pedagogical models, such as Educational Modeling Language (EML) or Tutorial Modeling Language (TML) are being developed. These models cannot be seen as a substitute for content-oriented standards. Moreover, a framework for the combination of content-oriented standards and pedagogical approaches is needed to model a complex learning environments.

In this paper, an approach is presented providing a framework for the description of pedagogical and didactical concepts. The approach is based on the Essen Learning Model (ELM). ELM is a development model for the development of learning environments. It provides support for developers, designers, content providers, teachers, and learners on various levels. Processes and activities in project management, quality assurance, curriculum development, course design and implementation are supported. Furthermore, the specification of learning technology standards is integrated in this model.

First of all, related standards are presented. It is shown, how these standards provide a framework for the interoperability of learning environments. Secondly, related approaches for pedagogical concepts are presented. Furthermore, an introduction to relevant aspects of the Essen Learning

Model is given. We focus on the aspects of modeling pedagogical concepts. As a conclusion, further research activities are suggested.

## **Learning Technology Standards**

Learning Technology Standards are being developed by several initiatives. In this section, the relevant standards for learning environments are presented. Currently, two standards have reached a high level of maturity (Pawlowski, Adelsberger 2001a, Pawlowski 2001): Learning Object Metadata (LOM) and the Sharable Content Object Reference Model (SCORM).

*Learning Object Metadata (LOM)* is a standard by the IEEE Learning Technology Standards Committee (LTSC) for the description of learning resources (LTSC 2001). LOM are used to describe learning resources, such as learning environments. For this purpose, nine categories are included: General, Lifecycle, Meta-Metadata, Technical, Educational, Rights, Relation, Annotation, and Classification. This standard is useful to describe general characteristics of learning environments to facilitate search, retrieval, and reuse of learning resources. However, the description of educational aspects is limited to a generalized summary (e.g., interactivity type, learning resource type, interactivity level). This classification cannot be used to represent detailed information on pedagogical and didactical concepts used in a learning environment.

The Sharable Content Object Reference Model (SCORM) (Dodds 2001a, Dodds 2001b) by the *Advanced Distributed Learning Network (ADLNET)* is a standard to ensure interoperability between Learning Management Systems (LMS) and learning environments. SCORM integrates LOM and the content aggregation model which is a standard to represent the structure of a learning environment and relations of learning units. The run-time environment in SCORM is the interface between LMS and learning environments. It controls the sequence of a learning environment by integrating the Computer Managed Instruction (CMI) standard (LTSC 2000). This standard can be used to represent courses and learning environments. However, the focus of this standard is to combine and control learning environments. The main aspect is to model content and its structure. Although the structure can implicitly contain a pedagogical approach, no pedagogical concept is used to determine the structure, navigation, or other adaptations. Both standards serve as a base for interoperable description and reuse of learning environments and learning resources. However, these standards need individual extensions in order to apply pedagogical concepts.

## **Pedagogical Models**

The current representation of metadata such as LOM does not provide an adequate representation of pedagogical concepts (Koper 2001). Additionally, there is no adequate mapping of content-oriented representation to a pedagogy-oriented representation. A variety of models have been developed in order to close this gap.

The *Tutorial Markup Language (TML)* (Netquest 2000) is a markup language for the development of tutorial systems. Questing and problem-solving scenarios can be specified through questions, answers, rules, and help functions. It is possible to develop simple tutorial systems. However, only certain didactical approaches can be realized using TML.

The *Instructional Material Description Language (IMDL)* (Gaede 2000) represents structure, content, assessments, metadata, and a learner profile. The approach strictly follows an instructional design approach. Therefore it restricts the pedagogical design. It is not flexible enough to model any given pedagogical approach.

A promising approach for the representation of pedagogical concepts is the Educational Modeling Language (EML) (Koper 2001) which is based on a meta-model for pedagogical modeling. It focuses on the embedding of learning resources in a pedagogical context. The metamodel consists of four components:

- *Theories of learning and instruction* describe theories, principles, and models of learning and teaching. The model distinguishes between empiricist, rationalist, pragmatist-sociohistoric, and eclectic theories.
- The *Learning Model* describes the interactions of learners in specific learning situations.
- The *Domain Model* represents the domain in which a learning environment is used.
- The *Unit of Study Model* describes the design of learning units depending on learning theories, learner models and domain models. The following categories are included in this model: Unit-of-study, Metadata, Roles, Learning-objectives, Prerequisites, Content, Activity, Environment, Method.

EML provides a promising representation of content and pedagogical concepts. Currently, there is no mapping to other standards such as SCORM. In order to use both standards, a common framework must be specified.

## Essen Learning Model (ELM)

### ELM Development Model

The Essen Learning Model is a modular system (Fig. 1) supporting development processes as well as the system's use on different levels: the support of curriculum design (C-level), the development of learning sequences (D-level), and the development of learning units (E-level) (Adelsberger, Bick, Pawlowski 2000, Pawlowski, 2000, Pawlowski, 2001). Three abstraction levels can be distinguished: The *generic development model* provides knowledge for a variety of contexts. This generic model is customized depending on the users' needs and preferences, and transformed into a specific process model for each development project. The *process model* is implemented using the Architecture of Integrated Information Systems (ARIS) and provides a framework for educational technology projects. ARIS is a frame concept for a global description (modeling) of computer supported information systems, covering the whole life-cycle range - from business process design to information technology deployment (Scheer, 1998). The third level is the *result* of the development process in the form of certain implementations for each module.

Figure 2 represents the main processes of the Essen Learning Model. The result of ELM-C is a detailed network of learning objectives and goals, determining structure and relations of learning sequences (e.g. courses). Based on these results, learning sequences are developed in ELM-D. The focus of this phase is to find an adequate didactical method together with the right technology depending on learning objectives and user groups. Finally, single learning units are designed and implemented in ELM-E, using the Extensible Markup Language (XML).





Fig. 1: The Essen Learning Model

### ELM-C - Curriculum Development



### ELM-D - Development of Learning Sequences



### ELM-E - Development of Learning Units




Fig. 2: Main process of ELM

### Modeling Pedagogical Concepts in ELM

Modeling Pedagogical concepts mainly consists of three components in ELM:

*Context Modeling:* Learning cannot be separated from the context. The context includes the environment of the learner (e.g., institution, organization, company) and the learner’s experiences and knowledge. The context is analyzed on two levels: A description of the learner’s characteristics and preferences and the organization the learner is involved in.

*Content Modeling:* The content of a learning environment is described on three levels: learning sequences, composite learning units and learning units. These levels correspond to the structure of SCORM (Content, Block, Sharable Content Object).

*Didactical Modeling:* Didactical concepts are directly related to the learner (actor), learning objectives, learning setting, and the description of a method (see Fig. 3). The description of a method consists of phases (activities) which can be grouped to phase blocks. Furthermore, experiences and the usability of a method for certain content, settings, or learning objectives is described (see Bick, Pawlowski, Veith 2001). By this description a knowledge base on didactical methods is created. Designing a learning environment means that the context, content, didactical method must be related. As an example, the method “simulation game” consists of the phases introduction, motivation, activity/interaction, reflection, abstraction, and analysis/feedback. These phases are mapped to learning units. The mapping of learning units to phases provides the connection between the pedagogical model and the content model (e.g., SCORM).




Fig. 3: The Essen Learning Model Overview




Fig. 4: The Essen Learning Model: Methods

The model a pedagogical concept consist of the three main components (context, content, method). In Table 1 the information model for methods is described.

**Table 1: Information Model Method**

| Category            | Description                             |
|---------------------|---|
| <b>General Data</b> |   |
| Dublin Core         | Dublin Core-Elements                    |
| Reference           | Reference to external information model |

| <b>Category</b>     | <b>Description</b>   |
|---------------------|--|
| <b>Description</b>  |  |
| Name                | Name of the method   |
| Source              | Source of the method   |
| Recommendation      | Recommendation for context, learning objectives, content, actor                          |
| Template            | Reference to a template, template format   |
| <b>Setting</b>      |  |
| Context             | Reference to context specification   |
| Location            | Location, Distribution   |
| Time                | Period, temporal restrictions  |
| <b>Phases</b>       |  |
| Phase               | Name of a phase of the method, aggregation   |
| Kind                | Kind of a phase (grouping to phase blocks)   |
| Sequence            | Relation to other phases, sequence, schedule, sequence operator (linear, parallel, free) |
| Runs                | Repetitions of a phase   |
| <b>Interaction</b>  |  |
| Description         | Description of intended / possible interactions  |
| Role                | Role of participating actors, description of role  |
| Type                | Type of interaction  |
| Topology            | Unidirectional, bidirectional  |
| Kind                | Synchronous, asynchronous  |
| Applications        | Communication applications/systems   |
| Reference           | Reference to external interaction specification  |
| <b>Presentation</b> |  |
| Type                | Type of presentation object  |
| Applications        | Presentation application   |
| Reference           | Reference to external presentation specification   |
| <b>Evaluation</b>   |  |
| Kind                | Kind of evaluation (Test, Scenario, ...)   |
| Applications        | Reference to evaluation application  |
| Evaluation          | Reference to learning object evaluation  |

## **Conclusion**

In this paper, the weaknesses of current standards have been identified. Learning technology standards such as LOM and SCORM focus on content-oriented models of learning. The representation of pedagogical concepts is neglected in these model. It was shown, that several pedagogical models do not provide a generic representation for pedagogic expertise. The Educational Modeling Language (EML) is a step towards a generic representation. However, pedagogical specifications and other existing standards need to be mapped into a common framework. The Essen Learning Model provides this framework by integrating existing standard with a generic pedagogical model. This model serves as a base for a high-quality design of learning environments from a pedagogical and content perspective.

## References

- Adelsberger, H.H., Bick, M., Pawlowski, J.M. (2000). The Essen Learning Model - A Step Towards a Standard Model of Learning Processes. In Bordeau, J., Heller, R. (Eds.): *Proc. of ED-MEDIA 2000, World Conference on Educational Multimedia, Hypermedia & Telecommunications*, Charlottesville, VA: AACE.
- Adelsberger, H.H., Körner, F., Pawlowski, J.M. (1998). A Conceptual Model for an Integrated Design of Computer Supported Learning Environments and Workflow Management Systems, *Proc. of Teleteaching '98: Distance Education, Training and Education*, XV. IFIP World Computer Congress, IFIP Vienna.
- Baumgartner, P., Payr, S. (1998). Learning with the Internet - A Typology of Applications. In *Proceedings of ED-MEDIA 1998, World Conference on Educational Multimedia, Hypermedia & Telecommunications*, Freiburg, Germany, 1998.
- Bick, M., Pawlowski, J.M., Veith, P. (2001). The Essen Learning Model - A Step Towards a Representation of Learning Objectives. In: Montgomerie, C., Viteli, J. (Eds.): *Proc. of EDMEDIA 2001, World Conference on Educational Multimedia, Hypermedia & Telecommunications*. AACE, Charlottesville, VA 2001.
- Bloom, B.S. (1973). *Taxonomy of educational objectives, Handbook I: Cognitive Domain*. David Mc Kay.
- Dodds, P.(Ed.) (2001a). *Advanced Distributed Learning Initiative - Sharable Courseware Object Reference Model – SCORM, Version 1.1*. [WWW Document] URL [http://www.adlnet.org/scorm/docs/SCORM\\_2.doc](http://www.adlnet.org/scorm/docs/SCORM_2.doc), last access 2001/07/25.
- Dodds, P.(Ed.) (2001b). *Advanced Distributed Learning Initiative - Sharable Content Object Reference Model – The SCORM Overview, Version 1.2*. [WWW Document] URL [http://www.adlnet.org/library/documents/scorm/specifications/SCORM\\_1.2\\_Overview.pdf](http://www.adlnet.org/library/documents/scorm/specifications/SCORM_1.2_Overview.pdf), 2001-10-01, last access 2001/11/01.
- Gaede, B. (2000). Die Instructional Material Description Language und das Produktionssystem für interaktive Lernsoftware Profil [The Instructional Material Description Language and the production system for interactive learning software Profil]. 10. Arbeitstreffen der GI-Fachgruppe Intelligente Lehr-/Lernsysteme, Hamburg 2000.
- IEEE Learning Technology Standards Committee (2000). *Draft Standard for Computer-Managed Instruction (CMI), Version 3.4*. [WWW Document] URL <http://ltsc.ieee.org/doc/wg11/CMI-Sem34.doc>, last access 2001/05/30.
- IEEE Learning Technology Standards Committee (2001). *Draft Standard for Learning Object Metadata, Version 6.1*. [WWW Document] URL <http://ltsc.ieee.org/doc/wg12/LOMv6.1.html>, 2001/05/12, last access 2001/05/30.
- Koper, R.: *Modeling units of study from a pedagogical perspective – the pedagogical meta-model behind EML*. [WWW Document] URL <http://eml.ou.nl/introduction/articles.htm>, last access 2001/07/01.
- Netquest (2000): *Tutorial Markup Language (TML)*. [WWW Document] URL [http://www.ilrt.bris.ac.uk/netquest/liveserver/TML\\_INSTALL/doc/tml.html](http://www.ilrt.bris.ac.uk/netquest/liveserver/TML_INSTALL/doc/tml.html), last access 2000/09/25.
- Pawlowski, J.M. (2000). *The Essen Learning Model - A Multi-Level Development Model*. In Staff and Education Development International 4 (2000).
- Pawlowski, J.M. (2001). *Das Essener-Lern-Modell (ELM): Ein Vorgehensmodell zur Entwicklung computerunterstützter Lernumgebungen [The Essen-Learning Model (ELM): A Development Model for the Development of Computer-Supported Learning Environments]*. Dissertation. University of Essen, Germany.
- Pawlowski, J.M., Adelsberger, H.H. (2001a). Standardisierung von Lerntechnologien [Standardization of Learning Technologies]. *Wirtschaftsinformatik* 43 (2001) 1.
- Pawlowski, J.M., Adelsberger, H.H. (2001b): Electronic Business and Education. In: Adelsberger, H.H., Collis, B., Pawlowski, J.M. (Eds.): *Handbook on Information Systems for Education and Training*. In: Bernus, P., Blazewicz, J., Schmidt, G., Shaw, M. (Series Eds.): *International Handbook on Information Systems*. Springer, Hamburg 2001.
- Suess, C. (2000). Adaptive Knowledge Management: A Meta-Modeling Approach and its Binding to XML. In: *H.-J. Klein (Ed.), 12. GI-Workshop Grundlagen von Datenbanken, Plön, TR 2005, Christian-Albrechts-Universität Kiel, Germany*, 2000.